

	L #	Hit	Search Text	DBs
1	L1	5463	lithium adj (battery r cell\$1)	USPAT; US-P P UB
2	L2	757	(tin or Sn) and 1	USPAT; US-PGP UB
3	L3	755	(indium or In) and 2	USPAT; US-PGP UB
4	L4	35	(surface adj roughness) and 3	USPAT; US-PGP UB
5	L5	3	(amount with (tin or Sn)) and 4	USPAT; US-PGP UB
6	L6	45	(surface adj rough\$4) and 3	USPAT; US-PGP UB
7	L7	6	(amount with (tin or Sn)) and 6	USPAT; US-PGP UB
8	L8	5126	lithium adj (battery or cell\$1)	EPO; JPO; DERWEN T
9	L9	74	(tin or Sn) and 8	EPO; JPO; DERWEN T
10	L10	24	(indium or In) and 9	EPO; JPO; DERWEN T
11	L11	0	(surfac adj r ugh\$4) and 10	EPO; JP ; DERWEN T

	L #	Hit	Search Text	DBs
12	L12	1	(amount with (tin r Sn)) and 10	EPO; JPO; DERWEN T
13	L13	0	(surface adj roughness) and 10	EPO; JPO; DERWEN T

	L #	Hit	arch Text	DBs
1	L1	5463	lithium adj (battery or cell\$1)	USPAT; US-PGP UB
2	L2	757	(tin or Sn) and 1	USPAT; US-PGP UB
3	L3	755	(indium or In) and 2	USPAT; US-PGP UB
4	L4	35	(surface adj roughness) and 3	USPAT; US-PGP UB
5	L5	3	(amount with (tin or Sn)) and 4	USPAT; US-PGP UB
6	L6	45	(surface adj rough\$4) and 3	USPAT; US-PGP UB
7	L7	6	(amount with (tin or Sn)) and 6	USPAT; US-PGP UB
8	L8	5126	lithium adj (battery or cell\$1)	EPO; JPO; DERWEN T
9	L9	74	(tin or Sn) and 8	EPO; JPO; DERWEN T
10	L10	24	(indium or In) and 9	EPO; JPO; DERWEN T
11	L11	0	(surface adj rough\$4) and 10	EP ; JP ; DERWEN T

	L #	Hit	S arch Text	DB
12	L12	1	(amount with (tin or Sn)) and 10	EPO; JPO; DERWEN T
13	L13	0	(surface adj roughness) and 10	EPO; JPO; DERWEN T
14	L14	1	"20030108795"	USPAT; US-PGP UB
15	L15	1	"20020168572"	USPAT; US-PGP UB
16	L16	1	"20020172862"	USPAT; US-PGP UB
17	L17	1	"20020086215"	USPAT; US-PGP UB
18	L18	1	"20020122987"	USPAT; US-PGP UB
19	L19	1	"20020034687"	USPAT; US-PGP UB
20	L20	1	"20030005578"	USPAT; US-PGP UB
21	L21	1	"20020176929"	USPAT; US-PGP UB
22	L22	1	"20020117469"	USPAT; US-PGP UB

	L #	Hit	Search T xt	DBs
23	L23	1	"20020172864"	USPAT; US-P P UB
24	L24	1	"20020192564"	USPAT; US-PGP UB
25	L25	7026	(TAMURA near\$3 NORIYUKI).in.	USPAT; US-PGP UB
26	L26	6	(JITO near3 DAIZO).in.	USPAT; US-PGP UB
27	L27	23	(OHSHITA near3 RYUJI).in.	USPAT; US-PGP UB
28	L28	37	(FUJIMOTO near3 MASAHISA).in.	USPAT; US-PGP UB
29	L29	19	(KAMINO near3 MARUO).in.	USPAT; US-PGP UB
30	L30	84	(FUJITANI near3 SHIN).in.	USPAT; US-PGP UB
31	L31	7138	25 26 27 28 29 30	USPAT; US-PGP UB
32	L32	2	25 and 26 and 27 and 28 and 29 and 30	USPAT; US-PGP UB
33	L33	18843	(lithium or Li) with (battery or cell\$1)	USPAT; US-PGP UB
34	L34	3	4 and 31	USPAT; US-P P UB

	L #	Hit	Search Text	DBs
35	L35	69383	(TAMURA near\$3 NORIYUKI).in.	USPAT; US-PGP UB; EP ; JPO; DERWEN T
36	L36	7	(JITO near3 DAIZO).in.	USPAT; US-PGP UB; EPO; JPO; DERWEN T
37	L37	38	(OHSHITA near3 RYUJI).in.	USPAT; US-PGP UB; EPO; JPO; DERWEN T
38	L38	318	(FUJIMOTO near3 MASAHISA).in.	USPAT; US-PGP UB; EPO; JPO; DERWEN T
39	L39	25	(KAMINO near3 MARUO).in.	USPAT; US-PGP UB; EPO; JPO; DERWEN T
40	L40	406	(FUJITANI near3 SHIN).in.	USPAT; US-PGP UB; EPO; JPO; DERWEN T

	L #	Hit	Search Text	DB
41	L41	69988	35 36 37 38 39 40	USPAT; US-P P UB; EP ; JPO; DERWEN T
42	L42	3	4 and 41	USPAT; US-PGP UB; EPO; JPO; DERWEN T
43	L43	3	4 and 41	USPAT; US-PGP UB; EPO; JPO; DERWEN T
44	L44	3	35 and 36 and 37 and 38 and 39 and 40	USPAT; US-PGP UB; EPO; JPO; DERWEN T
45	L45	3	35 and 36 and 37 and 38 and 39 and 40	USPAT; US-PGP UB; EPO; JPO; DERWEN T
46	L46	2546	(substrate\$1 r c llector\$1) and 1	USPAT; US-PGP UB; EPO; JPO; DERWEN T

	L #	Hit	Search Text	DBs
47	L47	2546	(substrate\$1 r c llector\$1) and 1	USPAT; US-PGP UB
48	L48	66	(surface adj rough\$4) and 47	USPAT; US-PGP UB
49	L49	17	((coat\$3 or layer\$3) with (tin or sn)) and 48	USPAT; US-PGP UB
50	L50	17	(indium or In) and 49	USPAT; US-PGP UB
51	L51	7	((amount\$1 or content\$1 or percent\$4 or weight\$1) with (Sn or tin)) and 50	USPAT; US-PGP UB
52	L52	7	((copper or Cu) near foil\$2) and 51	USPAT; US-PGP UB
53	L53	5126	lithium adj (battery or cell\$1)	EPO; JPO; DERWEN T
54	L54	588	(substrate\$1 or collector\$1) and 53	EPO; JPO; DERWEN T
55	L55	5	(surface adj rough\$4) and 54	EPO; JPO; DERWEN T
56	L56	0	((coat\$3 or layer\$3) with (tin or sn)) and 55	EPO; JPO; DERWEN T

	L #	Hit	Search Text	DBs
57	L57	2	((coat\$3 r layer\$3) with (tin or sn)) and 54	EPO; JP ; DERWEN T
58	L58	10	(tin or sn) and 54	EPO; JPO; DERWEN T
59	L59	4	(indium or In) and 58	EPO; JPO; DERWEN T

	L #	Hit	S arch Text	DBs
1	L1	1	"6432585"	USPAT; US-P P UB
2	L2	1	((Sn-In) or (Sn adj In) or (tin with indium)) and 1	USPAT; US-PGP UB
3	L3	1	(copper adj foil\$1) and 2	USPAT; US-PGP UB
4	L4	0	(electrolytic adj plat\$3) and 3	USPAT; US-PGP UB
5	L5	1	(electroless) and 3	USPAT; US-PGP UB
6	L6	1	(sputter\$3) and 3	USPAT; US-PGP UB
7	L7	1	(deposition\$1) and 3	USPAT; US-PGP UB
8	L8	1	(electrolytic) and 3	USPAT; US-PGP UB
9	L9	1	heat\$3 and 3	USPAT; US-PGP UB
10	L10	1	(nonaqueous or (non-aqueous)) and 3	USPAT; US-PGP UB
11	L11	1	(sputter\$3) and 5	USPAT; US-PGP UB
12	L12	1	(deposition\$1) and 11	USPAT; US-P P UB

	L #	Hit	Search Text	DB
13	L13	1	(electrolytic) and 12	USPAT; US-PGP UB
14	L14	1	heat\$3 and 13	USPAT; US-PGP UB
15	L15	1	(nonaqueous or (non-aqueous)) and 14	USPAT; US-PGP UB
16	L16	1	15	USPAT; US-PGP UB